


FIGURE 6C. RECOMMENDED PPE FOR HEALTHCARE WORKERS IN THE COMMUNITY

NOVEMBER 7, 2020



FOOTNOTES

^a Aerosol generating procedures (not limited to the following): Airway surgeries, Autopsies, Bronchoscopy, Cardiopulmonary resuscitation, Dental Procedures, Endotracheal intubation and extubation, Evacuation of pneumoperitoneum during laparoscopic procedures, Gastrointestinal endoscopy, High frequency oscillatory ventilation, Non-invasive ventilation, Open suctioning of airways, Manual Ventilation, Nebulization, Sputum induction, Surgical procedures using high-speed or high energy devices, Tracheotomy/tracheostomy

^b Level 4 PPE:
Fit Tested N95 or any equivalent filtering facepiece respirator, coveralls, double gloves, dedicated shoes, shoe covers and goggles or face shield

Level 3 PPE:
Fit Tested N95 or any equivalent filtering facepiece respirator, water impermeable gown, double gloves, dedicated shoes, shoe covers and goggles or face shield

Level 2 PPE:
Fit Tested N95 or any equivalent filtering facepiece respirator, goggles or face shield, with or without gown

Level 1 PPE:
Surgical Mask

^c Respirators with exhalation valves should not be used in situations requiring a sterile area. May cover exhalation valve with a face mask taking precautions to maintain respirator fit if resources are limited or with no alternatives.